



according to according to UK REACH Regulation

## **AdBlue**®

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product identifier : Water solution of urea, AUS 32

Registration number REACH : 01-2119463277-33-0275

Trade name : AdBlue®

1.2. Relevant identified uses of the substance or mixture and uses advised against

 $\hspace{1.5cm} \hbox{Identified uses} \hspace{1.5cm} : \hspace{1.5cm} \hbox{The product is a $NO_x$-gases reduction} \\$ 

agent used in the selective catalytic reduction (SCR) in motor vehicles with a

diesel engine.

Unadvisable uses : Not recommended for other uses than is

mentioned.

1.3. Details of the supplier of the safety data sheet

Supplier : **GreenChem Holding B.V.** 

Gravinnen van Nassauboulevard 95 4811 BN BREDA – Netherlands Tel. +31 (0)76 – 581 27 27

Email: msds@greenchem-adblue.com

Representative Office UK : GreenChem Solutions Ltd

Suite 3 Midshires House, Midshires Business Park, Smeaton Close

Aylesbury, HP19 8HL; United Kingdom

Tel. +44 (0)1296 678548

Email: msds@greenchem-adblue.com

e-mail address of competent person responsible for the safety data sheet

: msds@greenchem-adblue.com

1.4. Emergency telephone number

24 hours service – applicable to UK only.

: 111 or 999

National Poisons Information Service

NPIS do not receive calls from the general

public





according to according to UK REACH Regulation

## **AdBlue**®

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The substance is not classified as dangerous according to the Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

**2.2.** Label elements : None.

**2.3. Other hazards** : The product contains neither SVHC, PBT,

and vPvB substances nor endocrine disruptors in concentration  $\geq 0.1\%$  wt.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Aqueous solution (32.5%) of urea

CAS	EC	Registration Number	Classification	Content (%)			
Urea							
57-13-6	200-315-5	01-2119463277-33- 0275	XXX	32.5			
Impurities:							
Biuret							
108-19-0	203-559-0	XXX	XXX	≤ 0.3			

Remark: Complete wording of H-phrases is stated in Section 16.

#### 3.2. Mixtures

The product is a substance.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Inhalation : Take out the exposed person to the fresh

air.

Skin contact : Wash skin with warm water and soap.

Eye contact : Wash out the eye with plenty of clean

water 15 min., seek for medical care.

Ingestion : Drink ca. 2 dcl lukewarm water, do not

induce vomiting and seek for medical care.

Clothing exposure : Remove the exposed clothing and shoes.





according to according to UK REACH Regulation

## **AdBlue**®

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Agueous solution of urea has no flammable properties.

Suitable extinguishing media : Extinguishing media to be selected upon

surrounding fire.

Unsuitable extinguishing media : Flammable materials and extinguishing

media which cannot be used for

surrounding fire.

5.2. Special hazards arising from

the substance or mixture

: When AdBlue is stored in the GreenChem system tank and the system is in danger of fire or extreme heat, pressure will rise and the vessel may burst. In case of fire, immediately isolate the area by evacuating all personnel from the incident vicinity. Do not take any actions that could pose personal risk or for which you are not trained. Always proceed in accordance with directions given in valid emergency plans.

: Combustion product may contain:

Carbon dioxide, nitrogen oxides, ammonia.

5.3. Advice for firefighters

Hazardous combustion products

: Irritating substances may be released in thermal combustion, thus a self-contained

breathing apparatus is necessary.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
- **6.2.** Environmental precautions
- : Use personal protective equipment during handling with the product (see Section 8). Avoid contact with eyes, skin and clothing.
- : Prevent release to water resources, sewerage and soil. The product is not classified as hazardous for environment.





according to according to UK REACH Regulation

## AdBlue<sup>®</sup>

#### 6.3. Methods and material for containment and cleaning up

: In case of spilling, rinse the area with plenty of water. Dispose of the remains in a controlled way by flushing them into brought to a wastewaters sewage treatment plant. Depending on the scale and nature of the product contamination, the product may be used for agricultural purposes or disposed of in another controlled way (sewage treatment plant). Dispose of the waste as specified in

Section 13.

#### 6.4. Reference to other sections

For more information about protective

equipment see Section 8.

For more information about the disposal of

substance, see Section 13.

### **SECTION 7: Handling and storage**

Handling and storage is performed only with respect to the requirements of ISO 22241-3.

#### 7.1. Precautions for safe handling

Provide adequate ventilation during manipulation with product and avoid contact with skin and eyes using personal protective equipment. Follow the rules of safe handling of chemicals and basic hygiene habits. Avoid contamination of the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

: In order to avoid crystallization or hydrolysis in the urea solution, store under common conditions (optimally up to 25 °C).

Suitable material for storage

: Alloy steels, various plastics, as well as metal tanks with plastic coating.

Unsuitable material for storage

: Plain steels, copper, aluminium, alloys containing copper and aluminium, galvanized steels.

#### 7.3. Specific end use(s)

: Specific end use is given in the directions for use on the sticker on the product packaging or in the product documentation - see Section 1.2





according to according to UK REACH Regulation

## AdBlue<sup>®</sup>

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Exposure limit values according to Directive 2000/39/EC, as amended: No exposure limits have been determined for this product.

Exposure limit for hazardous decomposition products:

CAS	Substance name	8 hours		Short time		Noto
CAS		mg/m³	ppm	mg/m³	ppm	Note
7664-41-7	Ammonia, anhydrous	14	20	36	50	-

Limit values of biological exposure tests indicators are not specified in Directive no. 98/24/EC, as amended.

DNEL value (urea EC 200-315-5) for workers						
Exposure, effects	Route	DNEL				
Acute/short term, systematic effects	Dermal	580 mg/kg bw/d				
Acute/short term, systematic effects	Inhalation	292 mg/m <sup>3</sup>				
Long-term-systematic effects	Dermal	580 mg/kg bw/d				
Long-term-systematic effects	Inhalation	292 mg/m <sup>3</sup>				
DNEL value (urea EC 200-315-5) for general population						
Acute/short term, systematic effects	Dermal	580 mg/kg bw/d				
Acute/short term, systematic effects	Inhalation	125 mg/m <sup>3</sup>				
Acute/short term, systematic effects	Oral	42 mg/kg bw/d				
Long-term-systematic effects	Dermal	580 mg/kg bw/d				
Long-term-systematic effects	Inhalation	125 mg/m <sup>3</sup>				
Long-term-systematic effects	Oral	42 mg/kg bw/d				
PNEC value (urea EC 200-315	-5)					
PNEC	Value	Assessment factor				
Aqua (fresh water)	0.047 mg/l	1 000				
Aqua (marine water)	0.047 mg/l	-				

#### 8.2. Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure sufficient local ventilation.





according to according to UK REACH Regulation

## **AdBlue**®

#### 8.2.2 Individual protection measures, such as personal protective equipment

Regulation (EU) No 2016/425 introduce all personal protective equipment used.

Eye/face protection : Use protective goggles with side shields

when handling the product (e.g.

transferring).

Skin protection : Wear suitable protective gloves and shoes.

Hand protection : Hand protection: Protective gloves.

The breakthrough time: > 8 hours

Suitable glove material: PVC, natural rubber (latex), butyl rubber, nitrile

rubber.

Material to be avoided: leather.

Respiratory protection : In case of insufficient ventilation system,

use effective respirator, mask with

ammonia-proof filter.

Thermal hazards : Information is not available.

#### 8.2.3 Environmental exposure controls

Prevent uncontrolled release to environment.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Clear, colourless
Odour : Slight ammonia-like

Melting point/freezing point : Information is not available Boiling point or initial boiling point and : Information is not available

boiling range

Flammability : Information is not available
Lower and upper explosion limit : Information is not available
Flash point : Information is not available
Auto-ignition temperature : Information is not available
Decomposition temperature : Information is not available
pH : Max. 10 (10% aqueous liquid)
Kinematic viscosity : Information is not available

Kinematic viscosity : Information is no Solubility : Miscible in water

Partition coefficient n-octanol/water (log : Information is not available

value)

Vapour pressure : Information is not available

Density and/or relative density : 1,087 - 1,093 kg/m<sup>3</sup>

Relative vapour density : Information is not available

Particle characteristics : Not applicable (liquid)





according to according to UK REACH Regulation

## **AdBlue**®

#### 9.2. Other information

Dynamic viscosity : Approx. 1.4 mPa.s at 25 °C

Molecular weight : 60.06 kg/kmol
Thermal conductivity (at 25 °C) : Approx. 0.57 W/m.K
Specific heat (at 25 °C) : Approx. 3.4 kJ/kg.K
Surface tension : min 65 mN/m
Refractive index (at 20 °C) : 1.3814 - 1.3843

Crystallization point : -11.5 °C

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** : Stable under recommended storage and

handling conditions (see Section 7,

handling and storage).

**10.2. Chemical stability** : Stable under recommended storage and

handling conditions (see Section 7,

handling and storage).

**10.3. Possibility of hazardous** : When heated, decomposition of products.

reactions

**10.4. Conditions to avoid** : Heating causes thermal decomposition and

the gases formation.

**10.5. Incompatible materials** : Not know. **10.6. Hazardous decomposition** : NOx, NH<sub>3</sub>, CO<sub>2</sub>

products

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : No information about acute toxicity for

product available.

For urea (EC 200-315-5):

Oral (rat) LD<sub>50</sub> 14,300 mg/kg bw (male),

OECD Guideline 401

Skin corrosion/irritation : Based on available data, the classification

criteria are not met.

Serious eye damage/irritation : Based on available data, the classification

criteria are not met.

Respiratory or skin sensitisation : Based on available data, the classification

criteria are not met.

Germ cell mutagenicity : Based on available data, the classification

criteria are not met.

Carcinogenicity : Based on available data, the classification

criteria are not met.





according to according to UK REACH Regulation

## **AdBlue**®

Reproductive toxicity : Based on available data, the classification

criteria are not met.

STOT-single exposure : Information is not available. STOT-repeated exposure : Information is not available. Aspiration hazard : Information is not available.

11.2. Information on other hazards

Endocrine disrupting properties : The product contains no substances

functioning as endocrine disruptors according to REACH, Art. 57(f), or to Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

in concentrations  $\geq 0.1\%$  wt.

#### **SECTION 12: Ecological information**

**12.1. Toxicity** : The product is not classified as hazardous

for environment.

For urea (EC 200-315-5)

Fish:

Short-term: LD<sub>50</sub>: 6,810 mg/l

Aquatic invertebrates:

assessment

EC<sub>50</sub>/LC<sub>50</sub>: 10,000 mg/l

Algae and aquatic plants:

 $EC_{10}/LC_{10}$  (NOEC): 47 mg/l

**12.2. Persistence and degradability** : It is considered readily biodegradable

material.

**12.3. Bioaccumulative potential** : Biodegradation, in view of the main

component (urea) is not assumed.

**12.4. Mobility in soil** : The product is soluble in water.

**12.5. Results of PBT and vPvB** : The substance does not meet the criteria

for PBT and vPvB.

**12.6. Endocrine disrupting properties** : The product contains no substances

functioning as endocrine disruptors according to REACH, Art. 57(f), or to Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

in concentrations  $\geq 0.1\%$  wt.

**12.7. Other adverse effects** : It is possible to contaminate the surface

and ground waters due to improper





according to according to UK REACH Regulation

## **AdBlue**®

manipulation.

#### **SECTION 13: Disposal considerations**

**13.1. Waste treatment methods** : Depending on the degree and character of

contamination, the product is suitable to use for agricultural purposes or for disposal under control by authorized waste contractors (sewage treatment plant).

Empty container damaged during the usage has to be stored at the designated place and disposed by combustion in a

solid waste incineration plant.

Legal regulations relating to waste : Directive on waste 2006/12/EC and

2008/98/EC.

Disposal must be made according to

official regulations.

### **SECTION 14: Transport information**

Product is not classified as dangerous good for transport according to ADR/RID/IMDG Code.

14.1. UN number or ID number: Unassigned14.2. UN proper shipping name: Unassigned14.3. Transport hazard class(es): Unassigned14.4. Packing group: Unassigned

**14.5. Environmental hazards** : AdBlue® is not classified as

environmentally hazardous substance according to the ADR/RID/IMDG Code.

**14.6. Special precautions for user** : Transported in insulated tank trucks or

palletized plastic tanks (IBC). Materials suitable for these tanks are alloy steels, various plastics, as well as metal tanks

with plastic coating.

Plain steels, copper, aluminium, alloys containing copper and aluminium,

galvanized steels must not be used.

14.7. Maritime transport in bulk according to IMO instruments

: Unassigned

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture





according to according to UK REACH Regulation

## AdBlue<sup>®</sup>

Restrictions on the substances or

None

mixtures according to Annex XVII of the

**REACH** 

Candidate list (SVHC list of substances) - : None

**REACH article 59** 

Substances subject to authorization

: None

(Annex XIV of the REACH Regulation)

SEVESO (prevention of major accidents)

None

Regulation (EC) of the European Parliament and of the Council No 1907/2006 on Registration, evaluation, authorisation and restriction of chemicals (REACH)

Regulation (EC) of the European Parliament and of the Council No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP)

Directives 80/68/EEC, 90/656/EEC, 91/692/EEC, on waters

Directive 96/62/EEC, on air

Directive 2000/39/EC, Directive no. 98/24/EC - exposure limit

Directive 91/383/EEC - occupational safety at the workplace

EN ISO 22241 parts 1 to 5.

The recipient of the substance or mixture must take measures following the legal status of the substance or mixture (including substances contained in the mixture) in compliance with domestic legislation of the particular member state, and to list those legal regulations here.

#### 15.2. Chemical safety assessment

: The chemical safety assessment has been performed for the main ingredient of the product.

Urea does not meet the criteria for hazardous substance classification within the meaning of Regulation (EC) No. 1272/2008 and is assessed to be neither PBT nor vPvB, and therefore exposition assessment is not required, incl. the preparation of exposure scenarios (Art. 14 (4) of Regulation (EC) No. 1907/2006).

#### **SECTION 16: Other information**

16.1. Used information sources

16.2. Instructions for the training

Available information form DUSLO, a.s.

Instructions for the manipulation with product shall be included into the educational system on the work safety (initial training, training at the workplace, repeated trainings) according to the specific conditions at the workplace.





according to according to UK REACH Regulation

## **AdBlue**®

16.3. List of relevant hazard statements and precautionary statements used

in the SDS

16.4. Changes executed within the revision

revision

16.5. Legend to abbreviations and acronyms

None.

Revision: 16 Apr 2020 / version 12.2

Correction of subsection 1.3

Revision: 14 Sep 2022 / version 13.0 Formal modifications to the form acc. to Commission Regulation (EU) No 2020/878

: CAS - Chemical Abstract Service

ES – European Community number of a chemical for EINECS, ELINCS

and NLP inventories

PBT - Persistent, Bioaccumulative and

Toxic substance

vPvB - Very Persistent and Very

Bioaccumulative

LD<sub>50</sub> – Lethal Dose to 50% of a test population (Median Lethal Dose)

LC<sub>50</sub> - Lethal Concentration to 50% of a

test population

EC<sub>50</sub> - Half maximal effective

concentration

SVHC - Substances of Very High Concern

DNEL - Derived No Effect Level
PNEC - Predicted No Effect
Concentration(s)

#### 16.6. Other information

All information given in this Safety Data Sheet correspond to our knowledge at the time of the revision performed. The information only describes the product with respect to safe handling; it is not quality specification and do not establish the law.

The information given in this Safety Data Sheet is valid only for this material and under no circumstances it will be valid if this SDS is used in combination with another material or process not given in the text of this SDS. Information contained herein is based on our best knowledge and belief at the time of its issuing.

The information given herein is intended only as direction for safe handling with the product, its use(s), storage, processing, transport, and disposal, and does not provide any warranty or quality guarantee. This Safety Data Sheet contains only information relating to the safety and does not substitute information on the product or its specification.