Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

SECTION 1: Identification of the	e substance/m	ixture and of the co	ompany/undertaking		
1.1 Product identifier			10.1		
· Trade name: Maxol Biodegradable I	Hydraulic Oil 46				
· Article number:					
• 1.2 Relevant identified uses of the	substance or m	nixture and uses advis	sed against ·		
 SU21 Consumer uses: Private households / general public / consumers SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites 					
Product category PC17 Hydraulic flu Process category	Product category PC17 Hydraulic fluids				
PROC1 Use in closed process, no lik	se in closed process, no likelihood of exposure				
PROC2 Use in closed, continuous p PROC8a Transfer of substance containers at non-dedicated facilities	or preparation		ure g) from /to vessels/large		
		(charging/discharging	g) from /to vessels/large		
PROC9 Transfer of substance or	e transfer fluids in dispersive, professional use but closed systems ance or preparation into small containers (dedicated filling line, including				
weighing) Environmental release category 					
ERC9a Wide dispersive indoor us					
ERC9b Wide dispersive outdoor use ERC4 Industrial use of processing			ecoming part of articles		
ERC7 Industrial use of substances in			coming part of articles		
· Application of the substance / the n	nixture Hydraulic	c fluid			
• 1.3 Details of the supplier of the sa Manufacturer/Supplier: Maxol Lubricants Unit D, Airport Business Campus, Santry, Dublin 9	fety data sheet				
+353 (0) 1 806 0300					
 Further information obtainable from 1.4 Emergency telephone number: 					
SECTION 2: Hazards identification	on				
• 2.1 Classification of the substance of the substance of the substance of the substance is not classified according to Regulate the substance is not classified according the substance is not classified according to the substance is not clas	ion (EC) No 127				
Classification according to Directive		·	Not applicable		
Information concerning particular h The product does not have to be la Classification guideline for preparations	azards for hum abelled due to t	an and environment: the calculation proce			
 Classification system: The classification is according to the literature data. 	atest editions	of the EU-lists, and ex	tended by company and		
 2.2 Label elements Labelling according to Regulation 	(EC) No 1272/2(008 Void ·			
Hazard pictograms Void • Signal word Void Hazard etatemente Void					
 Hazard statements Void 					

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2) GB

Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

(Contd. of page 1)

Trade name: Maxol Biodegradable Hydraulic Oil 46

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Dangerous components:

EINECS: 272-028-3	zinc-alkyl-dithiophosphate X IR41; WN R51/53 Eye Dam. 1, H318; Aquatic Chronic 2, H411	0.1-1.0%
	on: For the wording of the listed risk phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed ${\rm lf}$

swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, dry chemical, or foam. Water can be used to cool and protect exposed material. .

- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:
 - Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. ·

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Remove from the water surface (e.g. skim or suck off).
- 6.4 Reference to other sections
 No dangerous substances are released.
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

(Contd. on page 3)

⁻ GB

Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

(Contd. of page 2)

Trade name: Maxol Biodegradable Hydraulic Oil 46

• Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities ·

Storage:

· Requirements to be met by storerooms and receptacles: Store only in the original receptacle. ·

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection: Not required.
- · Protection of hands:



Wear gloves for the protection against chemicals according to EN 374.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time may be acceptable so long as appropriate maintenance and replacement regimes are followed.

Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling ·

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid Colour: Green • Odour: Characteristic

Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

Trade name: Maxol Biodegradable Hydraulic Oil 46

	(Contd. of page 3)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: Drip point: 	Undetermined. Undetermined.
Pour point	-25 °C (ASTM D97)
 Flash point: Flammability (solid, gaseous): Self-igniting: Danger of explosion: Explosion limits: 	> 110 °C Not applicable. Product is not selfigniting. Product does not present an explosion hazard.
Lower: Upper:	Not determined. Not determined.
· Density at 20 °C:	0.916 g/cm ³
 Solubility in / Miscibility with water: Partition coefficient (n-octanol/wate) 	Not miscible or difficult to mix.
· Viscosity: 40 °C	36,0 mm²/s (ASTM D445)
 Solvent content: Organic solvents: 9.2 Other information 	0.0 % No further relevant information available.

SECTION 10: Stability and reactivity

• 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available. ·
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available. ·
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 5)

GB

Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

(Contd. of page 4)

Trade name: Maxol Biodegradable Hydraulic Oil 46

· Ecotoxical effects:

· Remark:

This material is not expected to be harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

13 01 12* readily biodegradable hydraulic oils

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex of MARPOL73/78 and the IBC Code	II Not applicable.
UN "Model Regulation":	-

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

0.

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 6)

GB

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.01.2015

Version number 1

Revision: 06.01.2015

Trade name: Maxol Biodegradable Hydraulic Oil 46

(Contd. of page 5) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
 Relevant phrases H318 Causes serious eye damage. H411 Toxic to aquatic life with long lasting effects. R41 Risk of serious damage to eyes. R51/53 Toxic to aquatic organisms, may cause long -term adverse effects in the aquatic environment.
 Department issuing MSDS: Product safety department Contact: Product safety department Abbreviations and acronyms: RiD: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 -
67/548/EEC 99/45/EEC

EC/453-2010