

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 22-5-2018 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product form : Mixture : Turbosynth LSP Plus 5W30 Trade name Product code : NS-A.10.34 Type of product : Use in lubricants Product group : Trade product 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** : Industrial use, Professional use, Consumer use Main use category Use of the substance/mixture : Engine oil 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Maxol Lubricants, Unit D, Airport Business Campus, Santry, Dublin 9 Ireland Tel: 01 8060300 1.4 **Emergency telephone number** Country **Emergency number** Comment Organisation/Company Address National Poisons Information Centre Beaumont Hospital, PO Box 1297 Beaumont Road Dublin 9 National Poisons Information Centre (24 hour) 01 837 9964 or Ireland 01 809 2566. **SECTION 2: Hazards identification Classification of the substance or mixture** 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified Adverse physicochemical, human health and environmental effects To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Label elements 2.2. Labelling according to Regulation (EC) No. 1272/2008 [CLP] **EUH-statements** : EUH210 - Safety data sheet available on request. **Other hazards** 2.3. No additional information available SECTION 3: Composition/information on ingredients **Substances** 3.1. Not applicable **Mixtures** 3.2. Comments : Highly refined mineral oils and additives.

Lubricants

MAYOL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	50 - 80	Asp. Tox. 1, H304
Mineral oil *		2,5 - 20	Asp. Tox. 1, H304
bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0,1 - 2,5	Aquatic Chronic 4, H413
Comments :	* contains one or more of the following 64741-88-4 (01-2119488706-23), 6474 2119487081-40), 64741-96-4 (01-2119 01-4 (01-2119488707-21), 64742-52-5 64742-54-7 (01-2119484627-25), 6474 2119480132-48), 64742-57-0 (01-2119 65-0 (01-2119471299-27), 64742-71-8 72623-86-0 (01-2119474878-16), 7262 2119495601-36)	41-89-5 (01-2119487 9483621-38), 64741- (01-2119467170-45 92-55-8 (01-2119487 9489287-22), 64742- (01-2119485040-48	067-30), 64741-95-3 (01- 97-5 (01-2119480374-36), 64742-), 64742-53-6 (01-2119480375-34) 077-29), 64742-56-9 (01- 62-7 (01-2119480472-38), 64742-), 72623-85-9 (01-2119555262-43)

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	· · · · · · · · · · · · · · · · · · ·
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Do not induce vomiting.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	No additional information available. Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.
0 0	
5.2. Special hazards arising from the su	
Fire hazard	: Combustible liquid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containm	. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material.		
Other information	: Dispose of materials or solid residues at an authorized site.		
6.4. Reference to other sections			
For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Provide good ventilation in process area to prevent formation of vapour.		
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, includi	ing any incompatibilities		
Storage conditions	: Keep container closed when not in use. Keep in a cool, well-ventilated place away from heat.		
Storage temperature	: 0 - 40 °C		
7.3. Specific end use(s)			

No additional information available

\$	SECTION 8: Exposure controls/personal protection		
8	8.1. Control parameters		
	LB Turbosynth LSP Plus 5W30		
	EU Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m ³ - ACGIH TLV (inhalable fraction).		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Wear suitable protective clothing

Hand protection:

Protective gloves

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR), Polyvinylchloride (PVC)	4 (> 120 minutes), 5 (> 240 minutes), 6 (> 480 minutes)	>=0,35	3 (> 0.65)	EN 374

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Lubricants

ΜΔΧΟΙ

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c	hemical properties	
Physical state	: Liquid	
Colour	: brown.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: -39 °C - ASTM D5950 (pour point)	
Boiling point	: No data available	
Flash point	: 216 °C - ASTM D92 (COC)	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Not applicable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0,855 kg/l (15 °C) - ASTM D4052	
Solubility	: Water : Practically not miscible.	
Log Pow	: No data available	
Viscosity, kinematic	: 68,4 mm²/s (40 °C) - ASTM D7279	
Viscosity, dynamic	: No data available	
Explosive properties	: Presents no particular fire or explosion hazard.	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		

VOC content

:0%

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
The prod	uct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable un	der normal conditions.
10.3.	Possibility of hazardous reactions
No dange	erous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.
10.4.	Conditions to avoid
None und	ler recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
No additio	onal information available
10.6.	Hazardous decomposition products
	nposition if stored normally.
SECTIO	DN 11: Toxicological information
44.4	Information on toxical action of the

TT.T. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LD50 oral rat	> 5000 mg/kg (OECD 420 method)	
LD50 dermal rabbit	> 2000 mg/kg (OECD 402 method)	
LC50 inhalation rat (mg/l)	> 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method)	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
LB Turbosynth LSP Plus 5W30		
Viscosity, kinematic	68,4 mm²/s (40 °C) - ASTM D7279	

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	Not classified
Mineral oil *	
LC50 fish 1	> 100 mg/l
EC50 Daphnia 1	> 10000 mg/l
EC50 72h algae (1)	> 100 mg/l
bis(nonylphenyl)amine (36878-20-3)	
LC50 fish 1	> 100 mg/l Brachydanio rerio (zebra-fish)
EC50 Daphnia 1	> 100 mg/l (OECD 202 method)
EC50 72h algae (1)	600 mg/l
EC50 96h algae (1)	870 mg/l
Distillates (petroleum), hydrotreated heavy pa	raffinic (64742-54-7)
LC50 fish 1	> 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)
EC50 Daphnia 1	> 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)
EC50 Daphnia 2	> 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)
NOEC (acute)	>= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method)
NOEC chronic fish	>= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)
NOEC chronic crustacea	10 mg/l (Daphnia magna, 21d) (OECD 211 method)

12.2. Persistence and degradability

bis(nonylphenyl)amine (36878-20-3)		
Biodegradation	1 % (test concentration 20,1 mg/l)	
Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
Biodegradation	31 % (28d) (OECD 301F method)	
12.3. Bioaccumulative potential		
No additional information available		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available





Lubricants

Turbosynth LSP Plus 5W30

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Waste treatment methods	: Do not allow into drains or water courses. Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.			
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils			

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

Transport in bulk according to Annex II of Marpol and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. **EU-Regulations** The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006: 3. Liquid substances or mixtures which are regarded as dangerous in bis(nonylphenyl)amine accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 3(b) Substances or mixtures fulfilling the criteria for any of the following Mineral oil * - Distillates (petroleum), hydrotreated heavy paraffinic hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 3(c) Substances or mixtures fulfilling the criteria for any of the following bis(nonylphenyl)amine hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 0 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations an	d acronyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

